

C920 EASF CHEMICAL ANCHOR (STYRENE FREE)-A

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 5/8/2015

Revision date: 2/4/2016

Supersedes: 5/8/2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : C920 EASF CHEMICAL ANCHOR (STYRENE FREE)-A
Product code : C920
Type of product : Adhesives, Sealants
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

AKKİM YAPI KİMYASALLARI SANAYİ ve TİCARET A.Ş.
Yeşilbayır mahallesi Şimşir sokak No:22
34555 İSTANBUL - TURKEY
T +90 2127711371 - F +90 2127713888
info@akfix.com - www.akfix.com

1.4. Emergency telephone number

Emergency number : +90 2127711371 (9:00 am - 17:00 pm GMT+2)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixture

Flammable liquids, Category 3 H226
Skin corrosion/irritation, Category 2 H315 Calculation method
Serious eye damage/eye irritation, Category 2 H319 Calculation method
Aspiration hazard, Category 1 H304

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

Hazard statements (CLP) :

H226 - Flammable liquid and vapour
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H319 - Causes serious eye irritation

Precautionary statements (CLP) :

P102 - Keep out of reach of children

C920 EASF CHEMICAL ANCHOR (STYRENE FREE)-A Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 5/8/2015

Revision date: 2/4/2016

Supersedes: 5/8/2015 Version: 1.0

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
 P280 - Wear eye protection, face protection, protective clothing, protective gloves
 P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor
 P302+P352 - IF ON SKIN: Wash with plenty of water
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P332+P313 - If skin irritation occurs: Get medical advice/attention
 P337+P313 - If eye irritation persists: Get medical advice/attention
 P370+P378 - In case of fire: Use Dry chemical, CO₂, or water spray or alcohol-resistant foam to extinguish
 P403+P235 - Store in a well-ventilated place. Keep cool
 P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

Child-resistant fastening : Applicable
 Tactile warning : Applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzene, ethenylmethyl-	(CAS No) 25013-15-4 (EC no) 246-562-2 (REACH-no) 01-2119622074-50	10 - 20	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Asp. Tox. 1, H304

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.
 First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
 First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
 First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
 First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Irritation.
 Symptoms/injuries after eye contact : Eye irritation.
 Symptoms/injuries after ingestion : Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

C920 EASF CHEMICAL ANCHOR (STYRENE FREE)-A Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 5/8/2015

Revision date: 2/4/2016

Supersedes: 5/8/2015 Version: 1.0

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

C920 EASF CHEMICAL ANCHOR (STYRENE FREE)-A		
Austria	Local name	Methylstyrol (alle Isomeren):
Austria	MAK (mg/m ³)	480 mg/m ³
Austria	MAK (ppm)	100 ppm
Austria	MAK Short time value (mg/m ³)	480 mg/m ³
Austria	MAK Short time value (ppm)	100 ppm
Belgium	Local name	Vinyltoluène (tous isomères)
Belgium	Limit value (mg/m ³)	246 mg/m ³
Belgium	Limit value (ppm)	50 ppm
Belgium	Short time value (mg/m ³)	490 mg/m ³
Belgium	Short time value (ppm)	100 ppm
Bulgaria	Local name	Винилтолуен (метилстирен)
Bulgaria	OEL TWA (mg/m ³)	200 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	480 mg/m ³
Estonia	Local name	Vinüültolueen (metüülstüreen, tolüületeen)
Estonia	OEL TWA (mg/m ³)	50 mg/m ³
Estonia	OEL TWA (ppm)	10 ppm



C920 EASF CHEMICAL ANCHOR (STYRENE FREE)-A

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 5/8/2015

Revision date: 2/4/2016

Supersedes: 5/8/2015 Version: 1.0

Estonia	OEL STEL (mg/m ³)	150 mg/m ³
Estonia	OEL STEL (ppm)	30 ppm
Finland	Local name	Vinyylitolueeni
Finland	HTP-arvo (8h) (mg/m ³)	49 mg/m ³
Finland	HTP-arvo (8h) (ppm)	10 ppm
France	Local name	Vinyltoluènes (tous isomères)
France	VME (mg/m ³)	240 mg/m ³
France	VME (ppm)	50 ppm
Germany	Local name	Vinyltoluol(allelsomeren)
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	490 mg/m ³
Germany	TRGS 900 Occupational exposure limit value (ppm)	100 ppm
Germany	Remark (TRGS 900)	DFG
Greece	OEL TWA (mg/m ³)	480 mg/m ³
Greece	OEL TWA (ppm)	100 ppm
Greece	OEL STEL (mg/m ³)	720 mg/m ³
Greece	OEL STEL (ppm)	150 ppm
Ireland	Local name	Methylstyrene, all isomers
Ireland	OEL (8 hours ref) (mg/m ³)	242 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	50 ppm
Ireland	OEL (15 min ref) (mg/m ³)	483 mg/m ³
Ireland	OEL (15 min ref) (ppm)	10 ppm
Latvia	Local name	Metilstirols(izomēru maisījums) (viniltoluols, vinilmetilbenzols)
Latvia	OEL TWA (mg/m ³)	50 mg/m ³
Lithuania	Local name	Viniltoluenas
Lithuania	IPRV (mg/m ³)	50 mg/m ³
Lithuania	IPRV (ppm)	10 ppm
Lithuania	TPRV (mg/m ³)	150 mg/m ³
Lithuania	TPRV (ppm)	30 ppm
Lithuania	Remark (LT)	O
Poland	Local name	Wynilotoluen mieszanina izomerów
Poland	NDS (mg/m ³)	100 mg/m ³
Poland	NDSch (mg/m ³)	300 mg/m ³
Portugal	Local name	Viniltolueno
Portugal	OEL TWA (ppm)	50 ppm
Portugal	OEL STEL (ppm)	100 ppm
Romania	Local name	Vinil toluen
Romania	OEL TWA (mg/m ³)	300 mg/m ³
Romania	OEL STEL (mg/m ³)	400 mg/m ³
Slovenia	Local name	viniltoluen (vse izomere)
Slovenia	OEL TWA (mg/m ³)	490 mg/m ³
Slovenia	OEL TWA (ppm)	100 ppm
Slovenia	OEL STEL (mg/m ³)	490 mg/m ³
Slovenia	OEL STEL (ppm)	100 ppm
Spain	Local name	Viniltolueno
Spain	VLA-ED (mg/m ³)	246 mg/m ³
Spain	VLA-ED (ppm)	50 ppm
Spain	VLA-EC (mg/m ³)	492 mg/m ³
Spain	VLA-EC (ppm)	100 ppm
Sweden	Local name	Vinyl toluene
Sweden	nivågränsvärde (NVG) (mg/m ³)	300 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	50 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	150 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	30 ppm
Switzerland	Local name	Méthylstyrène (tous les isomères)
Switzerland	VME (mg/m ³)	240 mg/m ³
Switzerland	VME (ppm)	50 ppm

C920 EASF CHEMICAL ANCHOR (STYRENE FREE)-A Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 5/8/2015

Revision date: 2/4/2016

Supersedes: 5/8/2015 Version: 1.0

Switzerland	VLE (mg/m ³)	480 mg/m ³
Switzerland	VLE (ppm)	100 ppm
Switzerland	Remark (CH)	4x15
Australia	Local name	Vinyl toluene
Australia	TWA (mg/m ³)	242 mg/m ³
Australia	TWA (ppm)	50 ppm
Australia	STEL (mg/m ³)	483 mg/m ³
Australia	STEL (ppm)	100 ppm
USA - ACGIH	Local name	Vinyl toluene
USA - ACGIH	ACGIH TWA (ppm)	50 ppm
USA - ACGIH	ACGIH STEL (ppm)	100 ppm
USA - ACGIH	Remark (ACGIH)	URT & eye irr
Benzene, ethenylmethyl- (25013-15-4)		
Japan	Exposure limits (ACGIH)	TWA 50 ppm, STEL 100 ppm

8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Beige.
Odour	: aromatic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: > 165 °C
Flash point	: 53 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 6 hPa
Relative vapour density at 20 °C	: No data available
Relative density	: 1.65 - 1.75
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

C920 EASF CHEMICAL ANCHOR (STYRENE FREE)-A Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 5/8/2015

Revision date: 2/4/2016

Supersedes: 5/8/2015 Version: 1.0

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Benzene, ethenylmethyl- (25013-15-4)

LD50 oral	4000 mg/kg
-----------	------------

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity	: Not classified
-----------------------	------------------

Specific target organ toxicity (single exposure)	: Not classified
--	------------------

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Benzene, ethenylmethyl- (25013-15-4)

LC50 fish 1	23.4 mg/l
-------------	-----------

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

C920 EASF CHEMICAL ANCHOR (STYRENE FREE)-A Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 5/8/2015

Revision date: 2/4/2016

Supersedes: 5/8/2015 Version: 1.0

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information : Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1866
UN-No. (IMDG) : 1866
UN-No. (IATA) : 1866
UN-No. (ADN) : 1866
UN-No. (RID) : 1866

14.2. UN proper shipping name

Proper Shipping Name (ADR) : RESIN SOLUTION
Proper Shipping Name (IMDG) : RESIN SOLUTION
Proper Shipping Name (IATA) : Resin solution
Proper Shipping Name (ADN) : RESIN SOLUTION
Proper Shipping Name (RID) : RESIN SOLUTION
Transport document description (ADR) : UN 1866 RESIN SOLUTION, 3, III, (D/E)
Transport document description (IMDG) : UN 1866 RESIN SOLUTION, 3, III
Transport document description (IATA) : UN 1866 Resin solution, 3, III
Transport document description (ADN) : UN 1866 RESIN SOLUTION, 3, III
Transport document description (RID) : UN 1866 RESIN SOLUTION, 3, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



C920 EASF CHEMICAL ANCHOR (STYRENE FREE)-A Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 5/8/2015

Revision date: 2/4/2016

Supersedes: 5/8/2015 Version: 1.0

ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 640E
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P001, IBC03, LP01, R001
Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T2
Portable tank and bulk container special provisions (ADR) : TP1
Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30

C920 EASF CHEMICAL ANCHOR (STYRENE FREE)-A Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 5/8/2015

Revision date: 2/4/2016

Supersedes: 5/8/2015 Version: 1.0

Orange plates :



Tunnel restriction code (ADR) : D/E
EAC code : •3YE

- Transport by sea

Special provisions (IMDG) : 223, 955
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P001, LP01
Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T2
Tank special provisions (IMDG) : TP1
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-E
Stowage category (IMDG) : A
Properties and observations (IMDG) : Miscibility with water depends upon the composition.
MFAG-No : 127;128

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y344
PCA limited quantity max net quantity (IATA) : 10L
PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L
Special provisions (IATA) : A3
ERG code (IATA) : 3L

- Inland waterway transport

Classification code (ADN) : F1
Special provisions (ADN) : 640E
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : F1
Special provisions (RID) : 640E
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1
Packing instructions (RID) : P001, IBC03, LP01, R001
Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T2
Portable tank and bulk container special provisions (RID) : TP1
Tank codes for RID tanks (RID) : LGBF



C920 EASF CHEMICAL ANCHOR (STYRENE FREE)-A

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 5/8/2015

Revision date: 2/4/2016

Supersedes: 5/8/2015 Version: 1.0

Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE4
Hazard identification number (RID)	: 30

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) nwg, Non-hazardous to water (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class II-1

Store unit : 5 liter

Classification remarks : R10 <H226;H304;H315;H319>; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled



C920 EASF CHEMICAL ANCHOR (STYRENE FREE)-A

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 5/8/2015

Revision date: 2/4/2016

Supersedes: 5/8/2015 Version: 1.0

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

AKFIX®